

TASKI

## TASKI® swingo® 4000

Large 34 in/85 cm  
ride-on automatic  
scrubber



The TASKI® swingo® 4000 is the next generation of large ride-on auto scrubbers. It is the only machine in the market featuring a large working width and large tank size with the outer dimensions of a more compact unit.

### Features

- The new, patented W-shaped squeegee follows the floor profile and allows perfect water pick-up
- High cleaning speed of 4.6 mph produces radically increased productivity
- Large 53 gallon (200 L) tank reduces the number of time-consuming tank refilling stops
- The low entrance, adjustable seat with high back and new accelerator pedal allow safe and ergonomic operation

### Benefits

- Special squeegee blades and a direct suction line allow pick-up of small debris without clogging
- Perfect water pick-up even in curves, while turning and on uneven or structured floors, providing exceptional cleaning and immediate drying results
- The unique all wheel steering makes the machine very agile and easy to maneuver in congested areas
- The special ECO mode reduces noise and allows day time cleaning even in noise sensitive areas

### Applications

- Ideal for airports and malls where daytime cleaning may be needed
- Ideal for large areas such as schools, retail facilities and office buildings where maneuverability may be a challenge



# Specifications

## Technical Data

Description	
Theoretical performance	68,619 ft <sup>2</sup> /h (6375 m <sup>2</sup> /h)
Working width	34 in (85 cm)
Squeegee width	43.5 in (110 cm)
Solution tank - flex tank (nominal)	53 gal (200 L)
Recovery tank - flex tank (nominal)	55 gal (210 L)
Rated voltage	24 V
Battery capacity	240–330 Ah
Battery run time (nominal)	4.5–6.5 h
Machine weight ready for use w/240 Ah hour batteries, full tank and driver	1675 lbs (760 kg)
Turning radius	79 in (200 cm)

Description	
Dimensions (L x W x H) (height above driver's seat)	70 x 35 x 55 in (178 x 89 x 140 cm)
Ramp with full tank w/o cleaning	15%
Brush system	2 x 17 in (2 x 43 cm)
Brush pressure max.	123-247 lbs (56-112 kg)
Cleaning speed / Transportation speed	4.6 mp/h / 5 mp/h (7.5 Km/h / 8.0 Km/h)
Sound level	67 dB(A)
Electrical protection class	III
Splash water protection class	IPX3
Approvals	CE/CB Test certificate

## TASKI swingo 4000

Description	SKU
TASKI IntelliDose for swingo 4000/5000	7518212
TASKI swingo 4000 (Machine only)	7518663
TASKI swingo 4000 (4 360Ah Battery Kit)	5863008
TASKI swingo 4000 (4 AGM batteries) plus IntelliDose	5895114

## Accessories/Additional Parts

Description	SKU Number
Pad drive harpoon grip 17 in / 43 cm (Two are required)	7517858
Scrubbing brush standard 17 in / 43 cm (Two are required)	7517859
Scrubbing brush washed concrete 17 in / 43 cm (Two are required)	7517860
Scrubbing brush abrasive 17 in / 43 cm (Two are required)	7517861
Battery Traction Block 6V/240 Ah	7518215
Drain Hose Long swingo 4000/5000	7519046
6V 902-305 330 AH Battery (Four are required)	5729271
External High Frequency Smart Charger 24V 25 AMP	5522625
SB50 Gray to SB120 Gray Connector	5863331

## Additional Features

**IntelliFlow:** The IntelliFlow system allows for a speed-dependent supply of cleaning solution. This feature ensures that the amount of solution dosed onto the floor is always constant—no matter how fast the machine is operating. The result? No puddles in curves and turns as well as a 30-50 % saving in cleaning solution, leading to significantly increased productivity of the machine.

**ECO mode:** ECO refers to energy saving by reducing the suction power with a simultaneous noise reduction of the suction motor that allows for day time cleaning in noise sensitive environments like hospitals.

**IntelliDose:** IntelliDose is a chemical dilution system that will help you to achieve consistently high cleaning results, control your cost and simplify your machine operation, and to avoid overdosing.

**START/STOP program:** All machine settings like solution flow level, brush pressure, ECO mode etc. are stored when finishing your cleaning operation with this button and are recalled for starting your further operation. This feature ensures an immediate start with mostly same cleaning operations.